

MCGINN & GIBB, P.C.
A PROFESSIONAL LIMITED LIABILITY COMPANY
PATENTS, TRADEMARKS, COPYRIGHTS, AND INTELLECTUAL PROPERTY LAW
1701 CLARENDON BOULEVARD, SUITE 100
ARLINGTON, VIRGINIA 22209
TELEPHONE (703) 294-6699
FACSIMILE (703) 294-6696

**APPLICATION
FOR
UNITED STATES
LETTERS PATENT**

APPLICANT: Charles Philippe Tresser

FOR: METHOD AND APPARATUS FOR
COMMERCE WITH FULL ANONYMITY

DOCKET NO.: YO999-486

009250-12482560

METHOD AND SYSTEM FOR COMMERCE WITH FULL ANONYMITY

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates to a method and system for performing
 5 commerce, and more preferably to a method and system for performing electronic
 commerce (i.e., "e-commerce") with full anonymity for the participants.

Description of the Related Art

Recently, rapid development of electronic commerce over the Internet has
 occurred. However, a perceived problem of this new type of commerce is that
 10 many consumers are still afraid of the lack of privacy protection to which one is
 exposed by using electronic commerce and other usage of the Internet.

However, in reality, several policies and technologies exist which allow to
 use the benefits of electronic commerce with complete protection of privacy and
 even complete anonymity. For instance, protocols for anonymously buying solid
 goods and electronic goods have been disclosed respectively in U.S. Patent
 Application No. 09/129,826, filed on August 5, 1998, entitled "Method and
 apparatus for remote commerce with customer anonymity", by M. Shub et al. ,
 and in U.S. Patent Application No. 09/_____, filed on May 11, 2000, entitled

~~YO999-486~~

See 9, 068

00999-486

Sub
 AI

15

~~"Achieving Buyer-Seller Anonymity for Unsophisticated Users Under Collusion~~

Amongst Intermediaries" by P. Dubey et al.. However, despite these advances in security, there is still a perceived lack of privacy and security in performing e-commerce by a wide majority of potential users.

5 Further, previously, in the context of regular contact between a commercial organization and a customer, where the nature of the transaction heavily depends on some collection of data associated to/with the customer, such as the precise contract, past information, information about the transaction being made, etc., conventional methods forced the data to be attached to the identity of

10 the customer (e.g., the word "forced" should be understood as "forced up to unbearable duress").

With the development of Information Technology, such data were first input in a computer system for better handling and processing of the transaction. A next stage of development of Information Technology allowed making heavier

15 use of the computer, in particular for data mining, to better evaluate the risk associated to each customer, to evaluate the risk of portfolios, to perform customer segmentation for different purposes (commercial and marketing strategy, pricing, etc.), and other aspects of business intelligence and use of advanced analytics.

20 However, using such a method of business intelligence has arguably been a first serious blow to customer privacy, just because business intelligence allows

AI
cont'd

00999-486

a company to learn more about their customers than what the customers have willingly (or knowingly) approved.

Because business intelligence has become so precious, both for marketing and related functions, and for customer relationship management purposes, some
5 companies have used data about their customers as an asset that they would sell to other companies. This has been another serious breach to customer privacy.

While trying to limit privacy violations, and even trying to restore fuller privacy than was ever possible before the beginning of modern Information
Technology, it is still desirable to achieve this goal without compromising the
10 analytic tools which have allowed better customer understanding and thereby better pricing. Otherwise, without these tools being available to the relevant industry and marketers, the customer would have to pay for the price of reduced commercial efficiency.

SUMMARY OF THE INVENTION

In view of the foregoing and other problems of the conventional methods and structures, an object of the present invention is to provide a method and
5 structure in which potential customers perceive an increased privacy and security associated with e-commerce.

Another object of the present invention is to provide businesses with some level of business intelligence (e.g., for marketing and related functions and for customer relationship management) surrounding a transaction, without
10 compromising the analytic tools which have allowed better customer understanding and thereby better pricing, better customer service, better customer retention, etc.

In a first aspect, a method (and system) of conducting business electronically between a first party and a second party, includes providing a third
15 party who knows the identity of the first party but no privacy-compromising information regarding a proposed electronic business transaction between the first and second parties, conducting the electronic business transaction between the first and second parties through the third party such that the identity of the first party is kept from the second party.

20 In a second aspect, a method (and system) of performing electronic commerce without a candidate customer being forced to disclose private data together with an identity of the candidate customer to a business entity requiring
YO999-486

00999-486

the private data, the method includes establishing an intermediary relationship with a third party between the candidate customer and the business entity, providing a proprietary item to the customer such that the customer can be identified as a legitimate owner of the item without revealing the identity of the customer, and performing electronic commerce between the customer and the business entity through the third party, utilizing the proprietary item, such that an identity of the customer is kept from the business entity.

In a third aspect, a program storage device is provided for storing the method of the invention.

As described below, the present invention will be presented in an exemplary embodiment in the very important (and particularly difficult) case of the insurance industry, and more precisely for auto insurance and health insurance (which would readily adapt to the simpler case of life insurance). Obviously, the present invention is not limited to this embodiment or environment, and thus, as should be readily evident to anyone of ordinary skill in the art taking the present application as a whole, the insurance scenario is presented only for ease of illustration and understanding for the reader.

The concerns for privacy in business insurance are far more limited, and business insurance comes in a variety of categories which must be properly analyzed for relevant solutions to be offered.

The present invention will be presented in two portions with increasing complexity:

YO999-486

00999-486

- the first portion only concerns tentative registration, prize checking etc.
(this portion may be the stage where the customer expects higher privacy as
several candidate companies can be contacted before a business entity (an
insurance provider) will be chosen); and

- 5 - the second portion concerns the further relation between the business
entity (e.g., insurance entity) and the customer.

Each portion can be used independently of whether the other portion is
used. Moreover, these portions can be used independently of each other, by
performing trivial modification to what is presented here.

- 10 A key ingredient of the present invention is a Third Party T which will
serve as intermediary between the customer and the business entity (i.e., insurance
company). A customer C will establish a relationship with T which will serve for
all further engagements with insurance companies.

- 15 A Fourth Party F will also be involved which delivers to customer C some
mode of identification which does not reveal the identity of C, preferably in a way
which respects the privacy of C as much as possible. For instance, F may deliver
to C a portable device P(C) which carries the biometrics of C in such a way that C
can identify him or herself as the legitimate owner of P(C) without revealing his
or her identity according to the methods described in U.S. Patent Application No.
20 09/372,170, filed on 08/11/99, entitled "Biometrics with no privacy invasion"
having IBM Docket number YO998-529 by Timothy Chainer et al. and hereafter
referred to as "Ref1", incorporated herein by reference. The non-duplicability and
YO999-486

authenticity of $P(C)$ can for instance be guaranteed using the methods disclosed in U.S. Patent Application No. 09/397,503, filed on September 17, 1999, entitled "Duplication and imitation resistant identifying marks on objects and duplication and imitation resistant objects such as smart cards ", having IBM Docket No.

5 YO999-129 by Gaurav Aggarwal et al., incorporated herein by reference, and hereafter referred to as "Ref2".

~~The device $P(C)$ delivers a serial number $S(C)$ at each transaction, and $S(C)$ can be read off $P(C)$ only in the presence of customer C . For more privacy, it would be better that $P(C)$ generates numbers $S(C,n)$, where n is an integer belonging to a large set $\{1,2,...,N\}$. Then, for each new insurance company and or other partner of customer C , a new number n is chosen for all further transaction(s) between the two parties. In particular, if C quits insurance entity I for another company and comes back to I , it can change the n associated to I . For simplicity, the use of this number n will be omitted in the sequel, as using it is a~~

15 ~~trivial amelioration of the overall protocol.~~

~~The insurance entity I will also choose a large set of verifiers $V_j, j=1, 2, ...$ which will be medical practices for health (or life) insurance, and garages in the case of automobile insurance. Any verifier will be equipped with the apparatus needed to verify portable devices as described above, and will be connected to the Internet so that they can send information to third party T . The relation with T can be performed using a privacy protection mechanism, involving several other parties to avoid possible collusion, as described for instance in the home page of~~

YO999-486

00999-486-560

Sub
a2

Sub
a3

A3 cont'd

~~the NetBill Security and Transaction Protocol by B. Cox, J.D. Tygar, and M. Sirbu~~
 which can be obtained on the Internet at <http://www.inl.cmu.edu/netbill>: see the
 paper "Maintaining privacy in electronic transactions" by Benjamin T.H. Fox.
 These are referred to collectively as "Ref3".

Sub 10

5 ~~When deciding to register with insurance I, customer C sends to T an~~
 application A. This application can be taken off, for example, the world-wide-web
 (WWW) page of the business (insurance) entity I, together with a piece of
 software SOFT, such as a JAVA applet, which allows to encrypt using $pu1(I)$
 where $(Pr1(I), pu1(I))$ is the public signature scheme of I. SOFT also allows
 customer C to compute a public signature scheme $(Pr2(I,C), pu2(I,C))$. C will
 communicate $pu2(I,C)$ together with her/his application, or other form of first
 contact through T. As $pu2(I,C)$ is the public ^{key} part of a public encryption scheme,
 there is very limited risk in T knowing that key. For improved security, $pu2(I,C)$
~~can be encrypted using $pu1(I)$ before being communicated to I through T.~~

15 The application A has a header H where all identification data about
 customer C will be written in clear (more precisely, in a manner understandable to
 T, but that may involve some encryption scheme that T uses to communicate with
 customers) together with $S(C)$, and a body B where all personal or vehicle data of
 customer C and $pu2(I,C)$ will be written after encryption using $pu1(I)$.

20 When receiving the application, third party T cuts off the header and
 replaces it with a number $N(T,C,I)$ which is sent to insurance entity I with body B
 of the filled application A. Insurance entity I can then decrypt body B and decide
 YO999-486

00999-486

on the level of risk and the price if the level of risk is acceptable. These decisions D will then be communicated to insurance entity I after encryption using $pu2(I,C)$ together with $N(T,C,I)$, and I can then send $pu2(I,C)(D)$ to C.

If needed, before sending application A to insurance entity I, customer C
 5 will have visited one or more verifiers V_j . C identifies him or herself to each verifier V_j it visits using $S(C)$, and asks V_j to send $S(C)$ to I, together with relevant data verified by V_j such as:

- the data relevant to an automobile identified with a tag as described, for example, in U.S. Patent Application No. 09/213,179, filed on December 17, 1998,
 10 entitled "Methods and Embodiments to Authenticate Objects", having IBM Docket No. YO998-295, to Timothy Chainer et al, incorporated herein by reference, and hereafter referred to as "Ref4",

- health data associated to C identified by $S(C)$, which number V_j reads off $P(C)$.

15 This communication to insurance entity I will be performed by appending to $S(C)$ the relevant data encrypted using $pu1(I)$, or some other key system common to all verifiers but possibly distinct from the key system devoted to interactions with candidate customers.

In several cases, and in particular for auto insurance, aspects of the past
 20 (history) of customer C, such as driver records, possible convictions, etc. are important elements of the risk evaluation. Either Government agencies such as the Department of Motor Vehicles (DMV) accept to be equipped as private verifiers,
 YO999-486

00999-486

5 The link between third party T and insurance entity I can make more
secure by using the methods of Ref3 or by making it indirect in the following way
T will post all filled applications on a dedicated world-wide-web (WWW) page
after cutting off clear identification thereof, and tagging by a number $N(T, C, I)$
which has redundancies allowing insurance entity I, but no other party, to
10 recognize this number as a number emitted by insurance entity I. All Insurance
Companies can then check for the folders so posted and will capture those using
their public key.

15 Payments from insurance entity I to third party T or vice-versa must be documented by the paying party. This can be done by attaching a tagging number to the payment. This tag is communicated to the bank of the paying party, and accompanies the transaction order to the bank of the payee. The paying bank accepts the money transfer in exchange of the tag coded using a private key of the

20 payee's bank. Such practices, or more sophisticated ones with at least similar virtues, are well known and are indicated here only for the sake of completeness.

Turning now to the case when the relation between customer C and insurance entity I has been established, so that C is a customer of insurance entity I, it will be described how insurance entity I can deal with customer C despite ignoring who customer C is (i.e., C's identity).

5 In typical operations, the infrastructure described above for first contacts type of interactions allows to get all tasks done. When submitting a claim, customer C will address it to T, possibly after consulting with one or more verifiers Vj as needed.

10 After processing the claim, which is obtained by insurance entity I from T by the same method that the original application was obtained, insurance entity I will send a payment, or a request for further data, or the declination of the claim (all encrypted using $pu2(I,C)$), to T. Third party T will then transmit it to customer C. Anybody versed in the art would readily understand how this can be done while the nature of what C receives remains unknown from T, while
 15 insurance entity-I cannot access the identity of C.

The only problem not addressed thus far is the occurrence of some refusal by customer C in the way insurance entity I handles the claim.

This problem will be solved in stages, depending on the severity of the refusal. In the first stage, which involves reevaluation of data, the anonymity can
 20 be preserved as identification of individuals is made using $S(C)$ and identification of interest items (i.e., vehicles in the scenario of car insurance) is based on tag recognition.

In the second stage where the judicial system must be involved, the anonymity is expected to be abandoned, except in judicial systems where courts accept to hear anonymous cases presented by anonymous parties. In the latter cases, the anonymity will be preserved until the end (disposition of the case),
5 using S(C) and recourse to third party T (for instance) for the payment.

As usual when using keys, it is preferable that keys be changed over time. Some businesses such as Equifax, take care of such an aspect of cryptography-heavy transactions as a professional service.

Thus, with the unique and unobvious features of the invention, a method
10 and system are provided in which potential customers perceive an increased security associated with e-commerce.

Further, even with such increased privacy/security, businesses are still provided with some level of business intelligence (e.g., for marketing and related functions and for customer relationship management) surrounding a transaction.
15 Thus, the analytic tools which have allowed better customer understanding and thereby better pricing, will continue to be advantageously used.

Hence, customers can conduct electronic business with a company without the company knowing the customer's identity, but in a manner that allows the company to use business intelligence methods to improve its performance.

BRIEF DESCRIPTION OF THE DRAWINGS

The foregoing and other objects, aspects and advantages will be better understood from the following detailed description of a preferred embodiment of the invention with reference to the drawings, in which:

5 Figure 1 schematically illustrates an environment of the system according to the present invention;

 Figure 2 schematically illustrates an application 130 of a customer (C) 100;

 Figure 3 schematically illustrates a processing flow of the application A
10 between a customer (C) 100, insurance entity (I) 110, and a third party (T) 120, and more specifically a preferred embodiment for making a choice of purveyors;

 Figure 4 schematically illustrates a transaction request (e.g., a “claim” in the example of an insurance scenario) processing flow of the application A
 between a customer (C) 100, insurance entity (I) 110, and a third party (T) 120,
15 and more specifically a situation where customer C is a customer of the insurance entity and yet in which anonymity is preserved;

 Figure 5 illustrates an exemplary hardware/information handling system for incorporating the present invention therein; and

 FIG. 6 illustrates a signal bearing medium 600 (i.e., storage medium) for
20 storing steps of a program of a method according to the present invention.

DETAILED DESCRIPTION OF A PREFERRED EMBODIMENT OF THE INVENTION

Turning to Figures 1-6, a first preferred embodiment of the invention will be described hereinbelow.

5 However, prior to discussing the preferred embodiment, it is noted that generally, the present invention goes beyond the conventional privacy providing technology in the electronic commerce arena in at least two respects.

10 First, the present invention capitalizes on new developments of the Information Technology to allow for increased privacy protection, up to anonymity, in domains of commerce previously depending on Information Technology to collect and manipulate data, but previously not depending on sales and transactions over the Internet.

15 Secondly, the invention allows for accrued privacy protection to be achieved without significantly compromising new important tools of commerce such as business intelligence, including customer segmentation and other applications of data mining.

Prior to a detailed discussion of the present invention, some concepts and tools from modern cryptography will be briefly described.

20 More precisely, secret key cryptography, as well as private key/public key pairs (in the form of public encryption schemes or of public digital signature schemes) and secure hash functions (such as the Secure Hash Algorithm (SHA-1))

YO999-486

will be used in the present invention. The use of secret key cryptography, of private key/public key pairs, and of secure hash functions are now well known. A description of these techniques and various implementations can be found in “Handbook of applied Cryptography”, by Alfred J. Menezes, Paul C. van Oorschot and Scott A. Vanstone, CRC Press, 1997 and in “Cryptography, Theory and Practice” by Douglas R. Stinson, CRC Press, 1995.

For definiteness, each time a private encryption scheme is used, one can choose the RSA protocol, described in US Patent 4,405,829, as a method to generate and use a SK/PK pair in order to allow for public encryption. Several other methods could also be used such as elliptic curves (see, *e.g.*, the “Handbook of Applied Cryptography” and “Cryptography, Theory and Practice”, both cited above).

In the description of the invention, a document is referred to as “encrypted” or “digitally signed” using, for instance, some private key. It is indeed assumed that the document is interpreted as a number to which cryptographic methods can readily be applied. If the corresponding number is too long, as usual one can use a hash function to reduce the information, and/or cut the number into smaller components and then encrypt or sign the reduced information or components. The hash function which is used will be made publicly known if public key cryptography is to be used. These are all practices well known in the art, which need no further description.

Besides such well known techniques from cryptography, the present invention also advantageously uses recent inventions, whose functionality will now be described.

5 In Ref1, methods were disclosed which allow to carry aspects of the biometrics of a person on a portable device, and utilize these data to identify securely the carrier as the legitimate owner of the device without compromising the biometrics of this individual. This can trivially be adapted so that furthermore the identity of the carrier needs not be revealed.

10 In Ref4, methods were disclosed to attach a tag to an automobile so that the vehicle is securely identified by such tag, which can be read either by contact or contact-less methods, depending on the precise choice of technology. Again, this can be easily adapted so that the identification process securely attaches the vehicle (or more generally some object such as an art piece for instance) to the tag without revealing further identification of the object such as who is the owner,
15 what are the numbers identifying legally the object, etc. Further, Ref4 also describes how one can take photographs of these objects with guarantee that the legitimate object is on the picture, and the picture has not been modified and is a trusted representation of reality.

20 The problem of finding protocols and commercial models which allow communication on the Internet with complete anonymity has received several solutions. One example is given in Ref3.

In Ref2, a method is provided to make objects such as smart cards and other portable devices essentially impossible to counterfeit or duplicate.

Several other methods exist with different levels of success in achieving the goals of the above-mentioned references (Ref1, Ref2, Ref4). Any such method, if judged safe enough, could be used instead of the examples given above. The examples are given here merely to support the overall feasibility of the present invention.

Thus, generally, a triangular relationship in electronic commerce is provided by the present invention between customer, a third party who knows the customer's identity but not anything about the transaction and the personal data of the customer, and the business entity which knows everything but the customer's identity.

Preferred Embodiments for Purveyor Choice

Preferred embodiments for the first portion of the present invention, that concerns the process of choosing a purveyor of good or services (e.g., the example of insurance is provided as it is more complex than several other business, including most forms of retail) will be described now.

First, it is assumed that some number of firms are available as Third Party T as described above, and design by T the one customer C has chosen.

Similarly, it is assumed that some number of firms are available as Fourth Party F as described above, and design by F the one customer C has chosen, and

by P(C) the portable device as described in Ref1 that Fourth Party F delivers to customer C . It is noted that, as mentioned above, the device P(C) delivers a serial number S(C) at each transaction, and S(C) can be read off P(C) only in the presence of the customer C. It is also noted that other methods of identification of the customer that do not reveal her/his identity can alternatively be used, which do not have the sophistication of the use of a device such as P(C). For instance, one can use a card which carries a password which cannot be read without special equipment. The card can also (or instead) carry a picture of C (a rudimentary form of biometric indeed).

As described above, the insurance entity I will also choose a large set of verifiers $V_j, j = 1, 2, \dots$ which will be medical practices for health (or life) insurance, and garages in the case of automobile insurance, which can be linked to insurance entity I in an anonymous way as described.

Referring now to Figure 1, when deciding to register with insurance I at 110, customer C at 100 sends to third party T (120) an application A (130). This application A is taken from the WWW page 140 of insurance entity I, together with a piece of software SOFT (132), such as a JAVA applet, which allows encrypting the application using $pu1(I)$, where $(Pr1(I), pu1(I))$ is the public signature scheme of insurance entity I. SOFT 132 also allows customer C to compute a public signature scheme $(Pr2(I, C), pu2(I, C))$.

Referring now to Figure 2, the application A (130) has a header H 210 where all identification data about customer C (100) will be written in the clear YO999-486

009250-7473250

(i.e., without encryption) at portion 212 together with $S(C)$ at portion 214, and a body B (250) where all personal or vehicle data of customer C DATA (252) and $pu2(I,C)$ at portion 254 will be written after encryption using the public key $pu1(I)$.

5 Referring now to Figure 3, when receiving the application A 130, third party T 120 cuts off header H 210 and replaces it with a number $N(T,C,I)$ at 320 which is sent to insurance I 110 with the filled-out body B (250) of application A 130.

10 Then, insurance entity I decrypts body B using $Pr1(I)(pu1(DATA))$ and decides on the level of risk, and determines the price if the level of risk is acceptable. Then, these decisions D 330 are communicated by insurance entity I to third party T after encryption using public key $pu2(I,C)$ together with the number $N(T,C,I)$. Then, the third party T, using the number $N(T,C,I)$ to recognize customer C, sends the publicly encrypted document $pu2(I,C)(D)$ to the
 15 customer C, who can decrypt using a private key $Pr2(I,C)$, thus getting $D = Pr2(I,C)(pu2(I,C)(D))$.

As described above, if needed, before sending application A to the insurance entity I, the customer C will have visited one or more verifiers.

20 As mentioned previously, the link between the third party T and the insurance entity I can be made more secure by using the methods of Ref3 or by making it indirect as described above.

Methods for payments from the insurance entity I to the third party T or vice-versa are preferably performed as described above.

Preferred Embodiments for Customer-Purveyor Contacts:

Turning now to when C is a customer of the insurance entity I, it is described how insurance entity I can deal with customer C despite ignoring the identity of customer C.

Referring to Figure 4, when submitting a transaction such as a claim ("Claim") at 400, encrypted using $pi1(I)$, customer C (100) will address it to third party T 120 (possibly after consulting with one or more verifiers V_j as needed). Third party T 120 transmits Claim to insurance entity I 110 after cutting off the heading 410 and attaching a number $Nclaim(T,C,I,Claim)$ at 420. Insurance entity I then processes the Claim.

Then, insurance entity I 110 sends 520 which is a payment, or request for further data, or the declination of part or all of the claim, or a combination thereof and other similar content, an insurance entity I may transmit after or while processing a claim, all encrypted using public key $pu2(I,C)$, to third party T 120. Third party T then transmits it to customer C 100.

Figure 5 illustrates a typical hardware configuration of an information handling/computer system in accordance with the invention and which preferably has at least one processor or central processing unit (CPU) 511.

The CPUs 511 are interconnected via a system bus 512 to a random access memory (RAM) 514, read-only memory (ROM) 516, input/output (I/O) adapter 518 (for connecting peripheral devices such as disk units 521 and tape drives 540 to the bus 512), user interface adapter 522 (for connecting a keyboard 524, mouse 526, speaker 528, microphone 532, and/or other user interface device to the bus 512), a communication adapter 534 for connecting an information handling system to a data processing network, the Internet, an Intranet, a personal area network (PAN), etc., and a display adapter 536 for connecting the bus 512 to a display device 538 and/or printer 539. As mentioned above, the printer 539 may be a digital printer or the like.

In addition to the hardware/software environment described above, a different aspect of the invention includes a computer-implemented method for performing the above method. As an example, this method may be implemented in the particular environment discussed above.

Such a method may be implemented, for example, by operating a computer, as embodied by a digital data processing apparatus, to execute a sequence of machine-readable instructions. These instructions may reside in various types of signal-bearing media.

Thus, this aspect of the present invention is directed to a programmed product, including signal-bearing media tangibly embodying a program of machine-readable instructions executable by a digital data processor to perform the above method.

This signal-bearing media may include, for example, a RAM contained within the CPU 511, as represented by the fast-access storage for example.

Alternatively, the instructions may be contained in another signal-bearing media, such as a magnetic data storage diskette 600 (Figure 6), directly or indirectly accessible by the CPU 511.

Whether contained in the diskette 600, the computer/CPU 511, or elsewhere, the instructions may be stored on a variety of machine-readable data storage media, such as DASD storage (e.g., a conventional "hard drive" or a RAID array), magnetic tape, electronic read-only memory (e.g., ROM, EPROM, or EEPROM), an optical storage device (e.g. CD-ROM, WORM, DVD, digital optical tape, etc.), paper "punch" cards, or other suitable signal-bearing media including transmission media such as digital and analog and communication links and wireless. In an illustrative embodiment of the invention, the machine-readable instructions may comprise software object code, compiled from a language such as "C", etc.

With the unique and unobvious aspects of the present invention, a method and system are provided in which potential customers perceive (and are provided) an increased privacy and security associated with e-commerce.

Further, even with such increased privacy and security, businesses are still provided with some level of business intelligence (e.g., for marketing and related functions and for customer relationship management) surrounding a transaction. Thus, the analytic tools which have allowed better customer understanding and

YO999-486

5

5